

KJT Sensors - KJT-FJP6 Series

Fiber Sensor -DC Power Supplies

KJT-FJP406-Z*X-92V2



- Performance more steady due to specialized IC
- Though beam,diffuse reflection,L type,Window type,high-temperature type etc.
- Sensing distance Sn (mm) :90mm
- From diameter of ϕ 1.5mm to over M6 can be customized.
- High temperature type can be resistant high temperature of 350℃
- Provide customized service

Technical parameter


Diameter	M6
Reflection mode	Diffuse
Sensing Distance SN [mm]	90mm
Optical fiber material	Plastic
Minimum detection object	ϕ 0.1
The pipe material	Stainless steel
Optical fiber type	Head of optical fiber
Fiber length [m]	1m
Bending radius	R25
Fiber core distribution	Coaxial
Output	PNP/NPN

KJT Sensors - KJT-FJP6 Series


Fiber Sensor - DC Power Supplies

KJT-FJP406-Z*X-92V2

Dimension drawing



Connection diagram



KJT Sensors - KJT-FJP6 Series

Fiber Sensor - DC Power Supplies

KJT-FJP406-Z*X-92V2

Model/Order Number	
Sn 90mm DC 3 wire 10-36V PNP	KJT-FJP406-ZPX-92V2
Sn 90mm DC 3 wire 10-36V NPN	KJT-FJP406-ZNX-92V2